TECHNICAL DATA SHEET

Iron Oxide Red 130S

	-				
Edition of	2012-12-11				
Туре	Red Pigment				
Molecular formula	Fe2O3				
Molecular weight	159.69				
Delivery Form	Powder				
Chemical Class	Synthetic Iron Oxide alpha – Fe2O3				
Color Index	Pigment Red 101 (77491)				
CAS No.	1309-37-1				
Use ReCommedation	Coatings				

COLOR VALUES AND TINTING STRENGTH

Reference			Standard: DIN 6174	
	<u>Min</u>	<u>Max</u>	Test Method	
Binder	Test Paste Based On			
	R-05			
Full Shade			No.001, 2001-01-01	
△ L *	-0.7	0.7		
\triangle a*	-0.7	0.7		
\triangle b*	-0.7	0.7		
∆E*ab		1.0		

TECHNICAL DAT

	<u>Min</u>		<u>Max</u>	Test Method
Fe2O3	95			DIN 55913-2
Water soluble substances [%]			1.0	DIN ISO 787-3
Moisture at 105℃[%]			1.0	DIN ISO 787-2
Oil absorption approx [%]		25		DIN ISO 787-5
Sieve residue on 0.045mm mesh [%]			0.5	DIN 53195
Color compared with standard	95		105	DIN 6174
ΔΕ			1.0	DIN 6174
PH Value	4.0		7.0	DIN ISO 787-9
Loss on Heating 1000℃ 1/2h		5.0		DIN 55913-2
Density		5.0		DIN ISO 787-10
Tamped Density		1.0		DIN ISO 787-11
PH Value Loss on Heating 1000°C 1/2h Density	4.0	5.0		DIN ISO 787-9 DIN 55913-2 DIN ISO 787-10

TRANSPORT AND STORAGE

Protect against weathering. Store in a dry place and avoid extreme fluctuations in temperature. Special conditions for opened packaging: Close bags after use to prevent the absorption of moisture and contamination.

SAFETY

The product is not classified as dangerous under the relevant EC directives and corresponding national regulations valid in the individual EU member states. It is not dangerous according to transport regulations. In countries outside the EU, compliance with the respective national legislation concerning the classification, packaging, labeling and transport of dangerous substances must be ensured.

The information contained in the safety data sheet should be observed.

This contains information on handing, product safety and ecology.