



## WINGSTAY® S


Mixed styrenated phenols

### KEY ADVANTAGES

- Non-discoloring, non-staining liquid antioxidant

### APPLICATIONS

- Protection of natural and synthetic rubber articles from hardening, wearing and general surface deterioration
- Stabilization of synthetic rubber (SBR)
- Protection of various light colored rubber products made from natural latex such as foams, printing rolls and bathing caps
- Protection of adhesives



CAS Reg.N° 61788-44-1

### TYPICAL PROPERTIES

Physical form	Clear, straw colored viscous liquid ( <i>Wingstay S Powder is available as 70% active on inert silica</i> )
Specific gravity	1.083
Average molecular weight	320
Gardner color	2
Viscosity @ 25 °C (mPa.s)	5500
Viscosity @ 50 °C (mPa.s)	250
Refractive index @ 25 °C	1.5995
Food contact	Compliance information available upon request

### PACKAGING, HANDLING AND STORAGE

- Packaging: **Wingstay S Liquid**: Heavy duty open head drums with two sealable bungs. (2 in. and 3/4 in.). Dimensions (mm): Diameter: 610, H: 915. Net weight: 200 kg (440 lbs). **Wingstay S Powder, 70% active**: 2-cell corrugated box with 2x25 lb. poly bags per box. Packaging is 25 boxes per pallet and stretch wrapped. Net weight 1250 lbs (567 kg).
- Storage: Store in dry, well ventilated area away from direct sources of heat or sun.
- Please read the material safety data sheet (MSDS) prior to use. Copy can be obtained on [www.quickfds.com](http://www.quickfds.com).

NOTE: Although the data supplied above is believed to be accurate, each user is advised to make an independent determination as to whether the described product(s) is/are appropriate for a particular use or application, whether such use will comply with all applicable laws or regulations, or whether such use will infringe the intellectual property rights of third parties.

[www.omnova.com](http://www.omnova.com)



#### Americas

World Headquarters  
175 Ghent Road  
Fairlawn, OH 44333 USA  
PHONE +1 330 869-4323  
FAX +1 330 869-4338  
CUSTOMER SERVICE +1 888 253-5454  
EMAIL [pccustserv@omnova.com](mailto:pccustserv@omnova.com)

#### Europe / Middle East / Africa / India

14, avenue des Tropiques  
Z.A. de Courtaboeuf 2 - Villejust  
91955 Courtaboeuf Cedex  
France  
PHONE +33 (0) 1 69 29 27 00  
FAX +33 (0) 1 69 29 27 01

#### Asia

Unit 09-11, 7th Floor,  
Greenland Riverside International Center  
596 Long Hua Middle Road, Xu Hui District  
Shanghai, 200032, China  
PHONE +86 (21) 6473 2525  
FAX +86 (21) 5421 1766

ALL OMNOVA PRODUCTS AND SERVICES ARE OFFERED AND SOLD SUBJECT TO THE OMNOVA STANDARD TERMS AND CONDITIONS OF SALE AGREEMENT SET FORTH AT [WWW.OMNOVA.COM](http://WWW.OMNOVA.COM).

All trademarks - OMNOVA Solutions.

© 2012 OMNOVA Solutions; March 2012