

# SAFETY DATA SHEET

Droduct identifier wood on the lab	
Product identifier used on the lab	jel:
Product Name:	Westco Hydrogenated DCPD Hydrocarbon Resins
SDS Manufacturer Number:	121
Other means of identification:	
Synonyms:	Westco Hydrogenated DCPD Hydrocarbon Resins are water white Hydrogenated Hydrocarbon Resind, Aliphatic Resins
Recommended use of the chemic	cal and restrictions on use:
Product Use/Restriction:	Westco Hydrogenated DCPD Hydrocarbon Resins are used as a tackifier for hot-melt adhesive, hot-melt pressure sensitive adhesive and solvent based pressure-sensitive adhesive applications.
Chemical distributor, or other res	ponsible party Name, address, and telephone number:
Distributor Name:	Western Reserve Chemical Corporation
Address:	4837 Darrow Road Stow, OH 44224 USA
General Phone Number:	330 650 2244
General Fax Number:	330 650 2255
Emergency phone number::	
Emergency Phone Number:	Chemtrec 1 800 424 9300 USA
Website:	www.wrchem.com
ECTION 2 : HAZARD(S) IDE	ΝΤΙΕΙCΑΤΙΟΝ
	accordance with CFR 1910.1200(d)(f):
Classification of the chemical in a	accordance with CFR 1910.1200(d)(f):
Classification of the chemical in a	accordance with CFR 1910.1200(d)(f): WESTCO Hydrogenated DCPD Hydrocarbon Resin is not classified according to the Globally Harmonized
Classification of the chemical in a	accordance with CFR 1910.1200(d)(f): WESTCO Hydrogenated DCPD Hydrocarbon Resin is not classified according to the Globally Harmonized System of classification and labeling of chemicals.
Classification of the chemical in a GHS Class: Hazards not otherwise classified : Route of Exposure:	accordance with CFR 1910.1200(d)(f): WESTCO Hydrogenated DCPD Hydrocarbon Resin is not classified according to the Globally Harmonized System of classification and labeling of chemicals. that have been identified during the classification process:
Classification of the chemical in a GHS Class: <u>Hazards not otherwise classified</u> Route of Exposure: Potential Health Effects:	accordance with CFR 1910.1200(d)(f): WESTCO Hydrogenated DCPD Hydrocarbon Resin is not classified according to the Globally Harmonized System of classification and labeling of chemicals. that have been identified during the classification process: Eyes. Skin. Inhalation. Ingestion. EYE CONTACT: May cause eye irritation and could injure eye tissue if not removed promptly. SKIN CONTACT: Frequent or prolonged contact may cause irritation. Low order of toxicity. Exposure to hot material may cause thermal burns and adhesion of the solidified product to the skin.
Classification of the chemical in a GHS Class: <u>Hazards not otherwise classified</u> Route of Exposure: Potential Health Effects:	accordance with CFR 1910.1200(d)(f): WESTCO Hydrogenated DCPD Hydrocarbon Resin is not classified according to the Globally Harmonized System of classification and labeling of chemicals. that have been identified during the classification process: Eyes. Skin. Inhalation. Ingestion. EYE CONTACT: May cause eye irritation and could injure eye tissue if not removed promptly. SKIN CONTACT: Frequent or prolonged contact may cause irritation. Low order of toxicity. Exposure to hot material may cause thermal burns and adhesion of the solidified product to the skin. INGESTION: Low order of toxicity.

Hydrogenated DCPD Hydrocarbon Resin	69430-35-9	>99.2 %
Stabilizer	Proprietary	<0.8 %

# SECTION 4 : FIRST AID MEASURES

Description of necessary measur	es:
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes. Get prompt medical attention.
Skin Contact:	Flush with large amounts of water; use soap if available .For hot product, immediately immerse in or flush the affected area with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention. No attempt should be made to remove material from skin or to remove contaminated clothing, as the damaged flesh can be easily torn.

Inhalation:

In case of adverse exposure to vapors and/or aerosols formed at elevated temperatures, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention.

#### Ingestion: GET MEDICAL ATTENTION IF SWALLOWED AMOUNT OF SUBSTANCES.

 $\underline{Indication \ of \ immediate \ medical \ attention \ and \ special \ treatment \ needed:}$ 

Note to Physicians:

Provide general supportive measures and treat symptomatically.

#### SECTION 5 : FIRE FIGHTING MEASURES

Suitable and unsuitable extinguishing media:		
Suitable Extinguishing Media:	DRY CHEMICAL, CO2, WATER SPRAY, REGULAR FOAM	
Specific hazards arising from the chemical:		
Hazardous Combustion Byproducts:	CARBON OXIDES, NITROGEN OXIDES	
Special protective equipment and precautions for fire-fighters:		
Protective Equipment:	As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.	
Fire Fighting Instructions:	Use water spray to cool fire exposed surfaces and to protect personnel. Isolate fuel supply to fire. Extinguish the fire by cooling with water spray.	

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up:

Spill Cleanup Measures:	LAND SPILL: Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Recover spilled material and place in suitable containers for recycle or disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. WATER SPILL: Prevent additional discharge of material, if possible to do so without hazard. Advise authorities if floating material enters a watercourse or sewer. If possible, try to contain floating material. Skim from surface.
Notes :	Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

#### SECTION 7 : HANDLING and STORAGE

Precautions for safe handling:		
Handling:	PREVENT SKIN AND EYE CONTACT AVOID CONTACT IN THE MOLTEN STATE BY HEAT AND VAPOR INHALATION. WHEN STATIC ELECTRICTIY GENERATES, REMOVE BY GROUNDING, CLEANING WORK SPACE, AND USUNG ARTICLES PREVENTING ELECTRIFICATION.	
Hygiene Practices:	Follow good industrial hygiene practices when handling this material.	
Conditions for safe storage, including any incompatibilities:		
Storage:	Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Do not handle or store near an open flame, heat or other sources of ignition. Protect material from direct sunlight.	
Specific end use(s):		
Work Practices:	Keep in a well-ventilated place. Safety showers and eye wash stations should be available.	

#### SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE GUIDELINES:	
Guideline Info:	Recommended that the lower exposure levels be observed as reasonable worker protection. THE RECOMMENDED FOLLOWING THRESHOLD LIMIT VALUES: A TWA of 10 mg/m3 for inhalable particulate (total dust) and a TWA of 3 mg/m3 for respirable particulate (total dust) for Particulates Not Otherwise Classified (PNOC).
Guideline OSHA:	LIMITS: a TWA of 10 mg/m3 total dust for nuisance dust.
Appropriate engineering controls:	
Engineering Controls:	Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended limits.
Individual protection measures:	
Eye/Face Protection:	Chemical splash goggles.

Skin Protection Description: Hand Protection Description:

Respiratory Protection:

PPE Pictograms:

Apron or coveralls should be used to prevent contact with skin or clothing.

Wear appropriate protective gloves to prevent exposure of skin.

Air Respirator required in case of high frequency use or severe exposure.



#### SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

#### PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	Solid
Physical State Appearance:	Granular.
Color:	Water White
Odor:	Odorless
Odor Threshold:	Not available.
Boiling Point:	Not available.
Melting Point:	Not available.
Specific Gravity:	1.07~1.10
Solubility:	Negligible solubility in water.
Vapor Pressure:	Not applicable.
pH:	Not available.
Viscosity:	75 cps(200)
Flash Point:	275 Deg C.
Flash Point Method:	ASTM D92 NOTE: Minimum
Lower Flammable/Explosive Limit:	Not applicable.
Upper Flammable/Explosive Limit:	Not applicable.
Auto Ignition Temperature:	Not applicable.

## SECTION 10 : STABILITY and REACTIVITY

Reactivity:	
Reactivity:	No Data
Chemical Stability:	
Chemical Stability:	Stable under normal temperatures and pressures.
Possibility of hazardous reactions:	
Hazardous Polymerization:	Will not occur.
Conditions To Avoid:	
Conditions to Avoid:	Avoid heat, flames, sparks and other sources of ignition. Do not heat above 200 C (392 F).
Incompatible Materials:	
Incompatible Materials:	strong oxidizing agents
Hazardous Decomposition Products	<u></u>
Special Decomposition Products:	CARBON OXIDES, NITROGEN OXIDES

### SECTION 11 : TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:	
Acute Toxicity:	ORAL: Not Classified DERMAL: Not Classified INHALATION: Not Classified
Sensitization:	RESPIRATORY SENSITIZER: NOT AVAILABLE SKIN SENSITIZATION: NOT CLASSIFIED
Carcinogenicity:	Not Available
Mutagenicity:	Not Available
Reproductive Toxicity:	Not classified
Notes :	Please refer to Section 3 for available information on potential health effects.

## SECTION 12 : ECOLOGICAL INFORMATION

## Ecotoxicity:

Ecotoxicity:	No specific ecological data are available for this product. Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.
Environmental Stability:	Not Available
Persistence and degradability:	
Biodegradation:	Non-biodegradable
Bioaccumulative potential:	
Bioaccumulation:	Not Available
Mobility in soil:	
Mobility In Environmental Media:	Not Available

### SECTION 13 : DISPOSAL CONSIDERATIONS

Description of waste:	
Waste Disposal:	Dispose of in accordance with Local, State, Federal and regulations.
Contaminated Packaging:	Please ensure that packaging, including drums, are disposed of in a responsible manner and in accordance with federal, and your state's, solid/hazardous waste regulations.
Notes :	Please refer to Sections 5, 6 and 15 for disposal and regulatory information

# SECTION 14 : TRANSPORT INFORMATION

DOT Shipping Name:

DOT Pictograms:

Non regulated.



Notes :

Solid granule resin is not IMO regulated. IMO SHIPPING DESCRIPTION: ELEVATED TEMPERATURE MATERIAL

# SECTION 15 : REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product:		
TSCA Inventory Status:	All the constituents of this product are TSCA listed or exempt from listing.	
CERCLA Section 302:	Non regulated.	
OSHA Process Safety:	Non regulated.	

## SECTION 16 : ADDITIONAL INFORMATION

HMIS Ratings:			
HMIS Health Hazard:	1	Health Hazard	1
HMIS Fire Hazard:	1	Fire Hazard	1
HMIS Reactivity:	0	Reactivity	0
HMIS Personal Protection:	J	Personal Protection	J
SDS Creation Date:	July 08, 2016		
SDS Revision Date:	July 18, 2016		
Notes :	Important Note: This information relates to the specific product described herein and may not be valid for this material when used in combination with other raw materials. The information provided is without warranty regarding its accuracy or completeness. The information may not be valid under all conditions. The user has the final responsibility for determining the suitability of the product in a given application.		

 ${\tt Copyright} \circledast$  1996-2015 Actio Corporation. All Rights Reserved.