

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture
Product name : Westco MBDS

Synonyms : 2-(Morpholinodithio)benzothiazole / Accelerator MBDS

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Accelerator

Rubbers

Restrictions on use : No additional information available

1.3. Supplier

Western Reserve Chemical Corporation 4837 Darrow Road Stow, OH 44224 - USA T 330 650 2244 - F 330 650 2255

www.wrchem.com

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 USA

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS** classification

Serious eye damage/eye irritation, Category 2A

Skin sensitisation, Category 1

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

## **GHS-US labelling**

Hazard pictograms (GHS)



Signal word (GHS) : Warning

Hazard statements (GHS) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (GHS) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

# 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS\_US)

Not applicable

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

02/28/2020 EN (English) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS classification
2-(morpholinodithio)benzothiazole	(CAS-No.) 95-32-9	98 – 100	Eye Irrit. 2A, H319 Skin Sens. 1, H317
White mineral oil	(CAS-No.) 8042-47-5	1 – 2	Asp. Tox. 1, H304

Full text of hazard classes and H-statements: see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory

symptoms, call a doctor.

Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it First-aid measures after skin contact

before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Get medical advice/attention if

you feel unwell.

#### 42 Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Itching. Redness. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

#### Suitable (and unsuitable) extinguishing media 5.1.

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2 Specific hazards arising from the chemical

Fire hazard : Burning produces irritating, toxic and noxious fumes. Carbon oxides (CO, CO2). Sulphur

oxides. hydrocarbons. Nitrogen oxides. Morpholine.

#### Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

: Avoid creating or spreading dust. Do not breathe dust. Do not get in eyes, on skin, or on General measures

clothing. Use personal protective equipment as required.

## For non-emergency personnel

Protective equipment : Refer to section 8.2.

**Emergency procedures** : Evacuate unnecessary personnel.

# For emergency responders

Protective equipment : Refer to section 8.2. **Emergency procedures** Ventilate area.

#### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and material for containment and cleaning up

For containment : Recover the product by vacuuming, shovelling or sweeping. Avoid generating dust.

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimise generation of dust. Following

recovery, flush area with water. Clean surface thoroughly to remove residual contamination.

02/28/2020 EN (English) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Use personal protective equipment as required. Do not

breathe dust. Do not get in eyes, on skin, or on clothing.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container tightly closed.

Incompatible products : Strong oxidizers. Water. Moisture. Nitrosating agents. Nitrates. Nitrites.

Incompatible materials : Sources of ignition. Direct sunlight.

Prohibitions on mixed storage : Keep/Store away from incompatible materials.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# Westco MBDS

Hygiene measures

No additional information available

#### White mineral oil (8042-47-5)

No additional information available

# 2-(morpholinodithio)benzothiazole (95-32-9)

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid creating or spreading dust. Emergency eye wash fountains and safety showers should

be available in the immediate vicinity of any potential exposure. Provide local exhaust or

general room ventilation.

Environmental exposure controls : Prevent leakage or spillage. Prevent contaminated water run-off.

# 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear suitable gloves resistant to chemical penetration. Dust impervious gloves. Industrial and professional. Perform risk assessment prior to use. Consult glove manufacturer's product information on material suitability and material thickness.

#### Eve protection

Safety glasses with side shields. In case of dust production: protective goggles

## Skin and body protection:

Long sleeved protective clothing. Rubber Apron. Tyvek® Gown/Coveralls

### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Dust mask

#### Other information:

Do not eat, drink or smoke during use.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Colour : cream Yellow

02/28/2020 EN (English) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odour : slight

Odour threshold : No data available pH : No data available Melting point : 123 – 132 °C Freezing point : No data available Boiling point : No data available roughly believed.

Flash point :  $> 94 \, ^{\circ}\text{C}$ 

Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : 1.51

Solubility : No data available

Log Pow : 4.5

Auto-ignition temperature : No data available

Decomposition temperature : > 207 °C

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Nitrites. Nitrosating agents. May lead to the formation of nitrosamines. May result in intense heat, boiling, flames, explosion, and toxic gas generation.

# 10.2. Chemical stability

Stable under normal conditions. Decomposes on exposure to water.

# 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong oxidizers. Strong acids. Nitrates. Nitrites. Nitrosating agents. Water. Moisture.

## 10.6. Hazardous decomposition products

None under normal use.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

White mineral oil (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
2-(morpholinodithio)benzothiazole (95-32-9)	
LD50 oral rat	11500 mg/kg
ATE (oral)	11500 mg/kg bodyweight

02/28/2020 EN (English) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

White mineral oil (8042-47-5)	
NOAEL (chronic, oral, animal/male, 2 years)	> 1200 mg/kg bodyweight No carcinogenic potential observed.
Additional information	Chronic dermal: mouse: Lack of significant effects. Chronic inhalation to various animal species at 5 and 100 mg/m3 doses: no adverse effects.

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

White mineral oil (8042-47-5)

NOAEL (subacute, oral, animal/male, 28 days) > 1500 mg/kg bodyweight (dog)

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Likely routes of exposure : Inhalation. Skin and eye contact.

Symptoms/effects after skin contact : Itching. Redness. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

White mineral oil (8042-47-5)	
LC50 fish 1	3841 mg/l Oncorhynchus mykiss

# 12.2. Persistence and degradability

Westco MBDS	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

Westco MBDS	
Log Pow	4.5
2-(morpholinodithio)benzothiazole (95-32-9)	
Log Kow	1.59 (calculated value)

# 12.4. Mobility in soil

Westco MBDS		
Ecology - soil	Not established.	

# 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

In accordance with DOT

Not regulated.

02/28/2020 EN (English) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### **CANADA**

### White mineral oil (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

### 2-(morpholinodithio)benzothiazole (95-32-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

#### **SECTION 16: Other information**

Data sources

: TSCA Chemical Substance Inventory. Accessed at

http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html. European

Chemicals Agency (ECHA) C&L Inventory database. Accessed at

http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database. ACGIH (American Conference of Government Industrial Hygienists). Manufacturer Information. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. NFPA 400-2013

Hazardous Materials Code.

Other information : None.

### Full text of H-statements:

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

#### Abbreviations and acronyms:

CAS (Chemical Abstracts Service) number	
EC50: Environmental Concentration associated with a response by 50% of the test population.	
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).	
LD50: Lethal Dose for 50% of the test population	
STEL: Short Term Exposure Limits	
TSCA: Toxic Substances Control Act	
TWA: Time Weighted Average	

02/28/2020 EN (English) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

: 1 - Materials that must be preheated before ignition can

occur

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and not reactive with water.



Hazard Rating

NFPA fire hazard

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : .

J - Splash goggles, Gloves, Synthetic apron, Dust & vapor respirator

SDS Prepared by: The Redstone Group, dba SafeBridge Consultants, Inc.

110 Polaris Pkwy

Suite 200

Westerville, OH USA 43082 P: +1 (614) 923-7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

02/28/2020 EN (English) 7/7