

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 10/21/2020 Version: 1.0

# **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : Westco Peptizer A86

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Processing aid

Peptizer for : Rubbers

Restrictions on use : Any use not specified

1.3. Supplier

Western Reserve Chemical Corporation 4837 Darrow Road Stow, OH 44224 - USA T 330 650 2244 - F 330 650 2255 www.wrchem.com

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 USA

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

# **GHS** classification

Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation.

Skin sensitisation, Category 1 H317 May cause an allergic skin reaction.

Full text of H statements : see section 16

# 2.2. GHS Label elements, including precautionary statements

#### GHS-US labelling

Hazard pictograms (GHS)



Signal word (GHS) : Warning

Hazard statements (GHS US) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (GHS) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS\_US)

Not applicable

# **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not applicable

3.2. Mixtures

10/21/2020 EN (English) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS classification
stearic acid	(CAS-No.) 57-11-4	59 – 61	Not classified
Kaolin	(CAS-No.) 1332-58-7	19 – 21	Not classified
Dibenzamido Diphenyl Disulfide (DBD)	(CAS-No.) 135-57-9	19 – 21	Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 4, H413

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

First-aid measures after skin contact : Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it

before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract. Symptoms/effects after skin contact : May cause an allergic skin reaction. Skin rash/inflammation.

Symptoms/effects after eye contact : Causes serious eye irritation. Redness.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Specific hazards arising from the chemical

Fire hazard : Burning produces irritating, toxic and noxious fumes. In case of excessive dust production. May

form combustible dust concentrations in air.

# 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all unnecessary exposure. Do not breathe dust. Do not get in eyes, on skin, or on

clothing.

# 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

# 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2. Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Avoid generating dust. Stop leak if safe to do so.

Methods for cleaning up : On land, sweep or shovel into suitable containers. high density polyethylene (HDPE).

10/21/2020 EN (English) 2/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Do not breathe dust. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place.

Incompatible products : Strong acids. Strong oxidizers. Alkali. Storage area : Store at ambient temperature. Packaging materials : high density polyethylene (HDPE).

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Westco Peptizer A86	
Recommended exposure limit 6 mg/m3 (total dust)	
stearic acid (57-11-4)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Stearic acid
ACGIH TWA (mg/m³)	10 mg/m³ (I - Inhalable particulate matter) 3 mg/m³ (R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020
Kaolin (1332-58-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Kaolin
ACGIH TWA (mg/m³)	2 mg/m³ (E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pneumoconiosis. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Limits	
Local name	Kaolin
OSHA PEL (TWA) (mg/m³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
Dibenzamido Diphenyl Disulfide (DBD) (135-57-9)	
No additional information available	

## 8.2. Appropriate engineering controls

Appropriate engineering controls

: Avoid creating or spreading dust. Avoid dispersal of dust in the air (i.e, clearing dust surfaces with compressed air). Either local exhaust or general room ventilation is usually required. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

# 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. nitrile rubber gloves. Butyl rubber gloves

10/21/2020 EN (English) 3/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Eye protection:

Splash goggles

#### Skin and body protection:

Rubber Apron. Cotton or cotton/synthetic overalls or coveralls are normally suitable

#### Respiratory protection:

In case of excessive dust production. Approved respirator

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : granules.
Colour : Green light blue

Odour : slight

Odour threshold : No data available No data available : No data available Melting point : No data available Freezing point : No data available Boiling point Flash point : No data available Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : insoluble in water. Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosive limits** : No data available : No data available Explosive properties

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Oxidising properties

No dangerous reactions known.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong oxidizers. Acids. Alkali.

10/21/2020 EN (English) 4/8

: No data available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 10.6. Hazardous decomposition products

None under normal use.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

stearic acid (57-11-4)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 0.1621 mg/l/4h

Dibenzamido Diphenyl Disulfide (DBD) (135-57-9)	
LD50 oral rat	> 5050 mg/kg
LD50 dermal rat	> 2500 mg/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract. Symptoms/effects after skin contact : May cause an allergic skin reaction. Skin rash/inflammation.

Symptoms/effects after eye contact : Causes serious eye irritation. Redness.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

stearic acid (57-11-4)		
LC50 fish 1	> 10000 mg/l 48 h	
EC50 crustacea	> 20 mg/l 48 h	
Kaolin (1332-58-7)		
LC50 fish 1	> 1000 mg/l 96 h	
EC50 crustacea	> 1000 mg/l 48 h	
Dibenzamido Diphenyl Disulfide (DBD) (135-57-9)		
EC50 crustacea	> 1 mg/l 48 h Daphnia magna	

# 12.2. Persistence and degradability

Westco Peptizer A86		
Persistence and degradability	Not established.	
stearic acid (57-11-4)		
Persistence and degradability	Readily biodegradable.	
Kaolin (1332-58-7)		
Persistence and degradability	Not readily biodegradable.	
Dibenzamido Diphenyl Disulfide (DBD) (135-57-9)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	17 % 60 d	

10/21/2020 EN (English) 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.3. Bioaccumulative potential

Westco Peptizer A86	
Bioaccumulative potential	Not established.
stearic acid (57-11-4)	
Log Pow	>5

Dibenzamido Diphenyl Disulfide (DBD) (135-57-9)	
Log Pow	4
Bioaccumulative potential	Not expected to bioaccumulate.

# 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Not regulated.

# Transport by sea

Not regulated.

#### Air transport

Not regulated.

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

# CANADA

#### stearic acid (57-11-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

# Kaolin (1332-58-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

# Dibenzamido Diphenyl Disulfide (DBD) (135-57-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### National regulations

#### stearic acid (57-11-4)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

10/21/2020 EN (English) 6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### stearic acid (57-11-4)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

#### Kaolin (1332-58-7)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

Component	State or local regulations
Kaolin(1332-58-7)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S New Jersey - Right to Know Hazardous Substance List

# **SECTION 16: Other information**

Data sources : TSCA Chemical Substance Inventory. Accessed at

http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html. European

Chemicals Agency (ECHA) C&L Inventory database. Accessed at

http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database. ACGIH (American Conference of Government Industrial Hygienists). Manufacturer Information. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. NFPA 400-2013

Hazardous Materials Code.

Other information : None.

#### Full text of H-statements:

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H413	May cause long lasting harmful effects to aquatic life.

#### Abbreviations and acronyms:

To Thather to dirid deligning.	
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average


: 1 - Materials that, under emergency conditions, can cause NFPA health hazard

significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

: 0 - Normally stable, even under fire exposure conditions, NFPA reactivity

and not reactive with water.



Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, Flammability

solids and semi solids having a flash point above 200 F. (Class IIIB)

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT Physical

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

10/21/2020 EN (English) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

J - Splash goggles, Gloves, Synthetic apron, Dust & vapor respirator

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/21/2020 EN (English) 8/8