

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/25/2020 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Westco ZBPD 75%

Synonyms : Approx. 75 wt% Zinc dibutyl Dithiophosphate (ZBPD), approx 25% silica / ZBPD 75%

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Accelerator

Rubbers Curing agent

Restrictions on use : No additional information available

1.3. Supplier

Western Reserve Chemical Corporation 4837 Darrow Road Stow, OH 44224 - USA T 330 650 2244 - F 330 650 2255 www.wrchem.com

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 USA

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1

Skin sensitisation, Category 1

 $Specific \ target \ organ \ toxicity --- Single \ exposure, \ Category \ 3, \ Respiratory \ tract \ irritation$

Full text of H statements: see section 16

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

2.2. GHS Label elements, including precautionary statements

GHS-US labelling

Hazard pictograms (GHS)





Signal word (GHS) : Danger

Hazard statements (GHS) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

Precautionary statements (GHS) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor. P312 - Call a poison center/doctor if you feel unwell

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

02/25/2020 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

Not applicable

3.2 Mixtures

Name	Product identifier	%	GHS classification
Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate)	(CAS-No.) 6990-43-8	75	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Chronic 2, H411
Silica gel	(CAS-No.) 112926-00-8	25	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. **Description of first aid measures**

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position First-aid measures after inhalation

comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell. First-aid measures after ingestion

42 Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Conjunctivitis. Direct contact may result in corneal injury. Chronic symptoms : Long exposure to low concentrations may lead to dermatitis, bronchitis and conjunctivitis.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Unsuitable extinguishing media : Do not use water.

5.2. Specific hazards arising from the chemical

Fire hazard : Burning produces irritating, toxic and noxious fumes. Hydrogen sulfide. Sulphur oxides. Carbon

oxides (CO, CO2). Phosphorus oxides. Zinc oxide. Zinc sulphide.

Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

: Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

: Avoid creating or spreading dust. Do not breathe dust. Do not breathe fumes. Do not get in General measures eyes, on skin, or on clothing. Use personal protective equipment as required.

02/25/2020 EN (English) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Refer to section 8.2. Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Sweep or shovel into suitable containers. Prevent runoff from entering drains, sewers or

waterways.

Methods for cleaning up : Collect spillage. Sweep spilled substance into containers; if appropriate, moisten first to prevent

dusting. Put into a labelled container and provide safe disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid creating or spreading dust. Use only outdoors or in a well-ventilated area. Do not breathe dust. Do not breathe fumes. Do not get in eyes, on skin, or on clothing. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Contaminated work clothing should not be

allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep only in the original container.

Incompatible products : Acids. Water. Moisture.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Westco ZBPD 75%		
No additional information available		
Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)		
No additional information available		
Silica gel (112926-00-8)		
USA - OSHA - Occupational Exposure Limits		
Local name	Silica, amorphous, precipitated and gel	
OSHA PEL (TWA) (mg/m³)	80 mg/m³	
OSHA PEL (TWA) (ppm)	20 ppm	
Remark (OSHA)	20mppcf	

OSHA Annotated Table Z-3 Mineral Dusts

8.2. Appropriate engineering controls

USA - NIOSH - Occupational Exposure Limits

Regulatory reference (US-OSHA)

NIOSH REL (TWA) (mg/m³)

Appropriate engineering controls : Avoid creating or spreading dust. Emergency eye wash fountains and safety showers should

be available in the immediate vicinity of any potential exposure. Provide local exhaust or

general room ventilation.

6 mg/m³

Environmental exposure controls : Prevent leakage or spillage.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

02/25/2020 EN (English) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Wear suitable gloves resistant to chemical penetration. Dust impervious gloves

Eye protection:

Chemical goggles

Skin and body protection:

Wear suitable protective clothing. Tyvek® Gown/Coveralls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Dust mask. If needed, use an air-purifying respirator with organic vapor cartridges and a dust/mist prefilter.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Colour : white
Odour : odourless

Odour threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available no data available

Flash point : ≥ 180 °C

Relative evaporation rate (butylacetate=1) : No data available Non flammable. Flammability (solid, gas) Vapour pressure : No data available Relative vapour density at 20 °C : No data available : No data available Relative density Density : 1.11 - 1.13 g/cm³ Solubility : No data available Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive limits : No data available Explosive properties : No data available Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water. May release poisonous hydrogen sulfide.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

02/25/2020 EN (English) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Acids. Water. Moisture.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)	
LD50 oral rat	1800 mg/kg
LD50 dermal rabbit	5010 mg/kg
LC50 inhalation rat (mg/l)	> 2.3 mg/l/4h
ATE (oral)	1800 mg/kg bodyweight
ATE (dermal)	5010 mg/kg bodyweight

Silica gel (112926-00-8)

LD50 oral rat > 22500 mg/kg
Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Likely routes of exposure : Inhalation. Skin and eye contact. Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Conjunctivitis. Direct contact may result in corneal injury.

Chronic symptoms : Long exposure to low concentrations may lead to dermatitis, bronchitis and conjunctivitis.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)	
LC50 fish 1	49 mg/l 96 h Salmo gairdneri
EC50 crustacea	7.3 mg/l 48 h Daphnia magna
NOEC chronic crustacea	0.26 mg/l 21 d Daphnia magna (read-across)
Silica gel (112926-00-8)	
LC50 fish 1	> 10000 mg/l 96 h

02/25/2020 EN (English) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

Westco ZBPD 75%	
Persistence and degradability	May cause long-term adverse effects in the environment.
Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	7 % 28 d

12.3. Bioaccumulative potential

Westco ZBPD 75%	
Bioaccumulative potential	Not established.
Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)	
Log Kow	< 3
Bioaccumulative potential	Not expected to bioaccumulate.

12.4. Mobility in soil

Westco ZBPD 75%	
Ecology - soil	Not established.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated.

Transport by sea

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc O,O,O',O'-

tetrabutyl bis(phosphorodithioate)), 9, III, MARINE POLLUTANT

UN-No. (IMDG) : 3077

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 kg

Air transport

Transport document description (IATA) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc O,O,O',O'-

tetrabutyl bis(phosphorodithioate)), 9, III

UN-No. (IATA) : 3077

Proper Shipping Name (IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

02/25/2020 EN (English) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Zinc O,O,O',O'-tetrabutyl bis(phosphorodithioate) (6990-43-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Silica gel (112926-00-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

National regulations

Silica gel (112926-00-8)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Silica gel(112926-00-8)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-statements:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

NFPA health hazard

: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.


NFPA fire hazard

: 1 - Materials that must be preheated before ignition can

occui

NFPA reactivity

: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



02/25/2020 EN (English) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Personal protection : X

X - Special handling directions

SDS Prepared by: The Redstone Group

110 Polaris Pkwy

Suite 200

Westerville, OH USA 43082 P: +1 (614) 923-7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

02/25/2020 EN (English) 8/8