

Revision Date: 25 February 2015

SAFETY DATA SHEET

Royalene® 301E, 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT, 868XE

1. IDENTIFICATION

Product Name	Royalene [®] 301E, 505, 509, 510, 511, 5	Royalene [®] 301E, 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT, 868XE		
Identified uses	Rubber compounds for automotive a	Rubber compounds for automotive and general purpose use		
Supplier	Lion Copolymer Geismar, LLC P.O. Box 397 Geismar Louisiana 70734 USA			
	Telephone +1 (800) 535-9960 customerservice@lionelastomers.com	<u>n</u>		
Contact Person	Customer Service	Customer Service		
Manufacturer	Lion Copolymer Geismar, LLC 36191 Highway 30 Geismar Louisiana 70734 USA			
Emergency Telephone	Chemtrec: +1 703-527-3887			
2. HAZARD(S) IDENTIFICAT	TION			
A	Calid halo ar pallats			
Appearance Color	White/off-white	Solid bale or pellets		
Odor	Characteristic			
GHS Pictogram	No pictogram required			
GHS Classification				
	Physical and Chemical Hazards	Not classified		
	Human Health	Not classified		
	Environment	Not classified		
OSHA Regulatory Status				

This product in not hazardous as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ethylene-propylene Ethylidene Norbornene Terpolymer CAS

CAS # 25038-36-2

Royalene® 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT

4. FIRST-AID MEASURES

Description of First Aid Measures

Inhalation

Move into fresh air and keep at rest. For breathing difficulties oxygen may be necessary. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty f water or milk . Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

Skin Contact

Remove contaminated clothing immediately and wash skin with soap and water. Product in use may be molten. Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Eye Contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persist, seek medical attention and bring these instructions.

Most important symptoms and effects, both acute and delayed

General information

Seek medical attention for all burns, regardless how minor they may seem.

Inhalation

No specific symptoms noted.

Ingestion No specific symptoms noted.

Eye Contact No specific symptoms noted.

Indication of any immediate medical attention and special treatment needed

Notes to the Physician

No recommendation give, but first aid may still be required incase of accidental exposure, inhalation, or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROPMPTLY!

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C) Not available. Flammability Limit – Lower (%) Not available. Flash Point (°C) Not applicable. Extinguishing Media Fire can be extinguished using: Water Hazardous Combustion Products In case of fire, toxic gases (CO, CO₂, NO_x) may be formed. Unusual Fire & Explosion Hazards

Royalene® 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT

No unusual fire or explosion hazards noted. Specific Hazards In case of fire, toxic gases may be formed. Special Fire Fighting Procedures Avoid breathing fire vapors. NOTE! Use air-supplied respirators to protect against gases/fumes. Protective Equipment for Fire-Fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions
Avoid discharge to the aquatic environment.
Spill Clean Up Methods
For waste disposal, see section 13.
Reference to other sections
Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13. See section 11 for additional
information on health hazards.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact.

Storage

Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from: direct light sources, indeirect light sources, sunlight (ultraviolet)m fluorescent light.

Storage Class

Unspecified storage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment



Engineering Measures

Provide sufficient ventilation during operations which cause vapor formation.

Respiratory Equipment

In case of inadequate ventilation or when the product is heated, use suitable respiratory equipment with gas filter (type A2).

Hand Protection

Use suitable protective gloves if risk of skin contact.

Eye Protection

Wear approved safety goggles.

Thermal Hazards

The molten product can cause serious burns.

9. PHYSICAL AND CHEMICAL PROPERTIES

Royalene® 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT

Appearance	Solid bale			
Color	White/off-white			
Odor	Characteristic			
Solubility	Insoluble in water; soluble in organic solvents.			
Initial boiling point and boiling range	Not applicable			
Melting point (®C)	Not available			
Relative density	0.87			
Bulk density	870 kg/m3			
Vapor Density (air=1)	Not available			
Vapor Pressure	Not available			
Evaporation Rate	Not applicable			
Evaporation Factor	Not applicable			
pH-Value, Conc. Solution	Not applicable			
pH-Value, Diluted Solution	Not applicable			
Viscosity	30 to 90 Mooney @ 125°C			
Decomposition Temperature (°C)	Not available			
Odor Threshold, Lower	Not available			
Odor Threshold, Upper	Not available			
Flash Point	Not available			
Auto Ignition Temperature (°C)	Not available			
Flammability Limit – Lower (%)	Not available			
Flammability Limit- Upper (%)	Not available			
Partition Coefficient (N-Octanol/Water)	Not available			
Solid/Liquid Ignition on Contact with Air	No			
Oxidizing Properties	Not determined			
10. STABILITY AND REACTIVITY				

Reactivity

No specific reactivity hazards associated with this product.

Stability

Stable under normal temperature conditions and recommended use.

Hazardous Polymerization

Will not polymerize

Conditions to Avoid

Avoid exposure to high temperatures or direct sunlight.

Materials to Avoid

No incompatible groups noted.

Royalene® 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT

Hazardous Decomposition Products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Toxicological Information

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

There are no data on the ecotoxicty of this product.

Partition Coefficient

Not applicable

13. DISPOSAL CONSIDERATIONS

Waste Management

This product is not considered to be hazardous waste under the definitions of the EPA and the Resource Conservation and Recovery Act (RCRA). However, ant local or state regulation governing the process and disposal of waste should be followed.

Disposal Methods

No specific methods given.

14. TRANSPORT INFORMATION			
General	Not regulated		
Road Transport Notes	Not regulated		
Rail Transport Notes	Not regulated		
Sea Transport Notes	Not regulated		
Air Transport Notes	Not regulated		
15. REGULATORY INFORMATION			

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances ***NONE***

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ) in 40CFR302.4 Components present in this product at a level which could require reporting under the statute are:

NONE

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (SARA 313). Components present in this product t a level which could require reporting under the statute are:

NONE

SARA 311/312 Hazard Categories Acute Health Hazard

NONE

Royalene® 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT

Chronic Health Hazard	***NONE***
Fire Hazard	***NONE***
Sudden Release of Pressure Hazard	***NONE***
Reactive Hazard	***NONE***

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) and Volatile Organic Compounds (VOCs) (see 40 CFR 61) This product does not contain any substances regulated as hazardous air pollutants (HAPS) or volatile organic compounds (VOCs) under Section 112 of the Clean Air Act Amendments of 1990

Food and Drug Adminsistration

This product is compliant with the following regulations for indirect food contact:

21CFR175.105 Adhesives

21CFR 177.2600 Rubber articles intended for repeated use

US State Regulations

California Proposition 65	Not listed
New Jersey Right-to-Know	Not listed
Massachusetts Right-to-Know	Not Listed
Pennsylvania Right-to-Know	Not Listed

CONEG (HEAVY METALS)

Based on information provided by our suppliers, the raw materials used in the manufacture of this product contain no toxic heavy metals in concentrations greater than trace levels including lead, mercury, cadmium and hexavalent chromium which are not present in concentrations

at or greater than 100 ppm as specified in the CONEG model legislation for Toxics in Packaging.

International Inventories

EU-EINECS/ELINCS None of the ingredients is listed Canada – DSL/NDSL All ingredients are listed or exempt US – TSCA All ingredients are listed or exempt Australia – AICS All ingredients are listed or exempt Japan – MITI All ingredients are listed or exempt Korea – KECI All ingredients are listed or exempt China _IECSC All ingredients are listed or exempt Philippines – PICCS All ingredients are listed or exempt


Royalene® 505, 509, 510, 511, 512, 525, 535, 539, 547, 556, 559, 563, 580HT

16. OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

HEALTH	0
FLAMMABILITY	1
PHYSICAL	0
PERSONAL PROTECTION	Х

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



The opinions expressed herein are those of qualified experts within Lion Copolymer Geismar, LLC. We believe that the information contained herein is current as of the date of this safety data sheet. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of Lion Copolymer Geismar, LLC, it is the user's obligation to determine the conditions of safe use of these products.

Revision Date 25 February 2015

Copyright 2015 Lion Copolymer Geismar, LLC