

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Paroil 58 NR

Other means of identification None. Recommended use Additive **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name DOVER CHEMICAL CORPORATION

Address 3676 Davis Road NW

Dover, OH 44622 **United States** 

Toll free: 1-800-321-8805 Telephone

Website www.doverchem.com E-mail msdsdept@doverchem.com

**Emergency phone number** CHEMTREC (U.S. and 1-800-424-9300

Canada)

CHEMTREC (Outside the 1-703-741-5970

U.S.)

# 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified.

**Environmental hazards** Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. **Hazard statement** 

**Precautionary statement** 

Prevention Avoid release to the environment.

If exposed or concerned: Get medical advice/attention. Collect spillage. Response

Store away from incompatible materials. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 2% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 2% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Alkanes, C14, chloro		198840-65-2	98
Other components below reportable levels			2

Material name: Paroil 58 NR SDS US 1/7

7091 Version #: 25 Revision date: 12-03-2019 Issue date: 06-07-2016

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

**General information** 

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Treat symptomatically.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container.

#### 8. Exposure controls/personal protection

Occupational exposure limits

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

**Biological limit values Exposure guidelines** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

0.057µg/cm² skin absorption rate OECD 428

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Not available.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Oily.
Physical state Liquid.
Form Liquid.
Color Clear.
Odor Slight.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.1 - 1.5 g/cm³

77 °F (25 °C)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Explosive properties** Not explosive.

Molecular formula UVCB
Oxidizing properties Not oxidizing.

Specific gravity 1.1 - 1.5

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Material name: Paroil 58 NR
7091 Version #: 25 Revision date: 12-03-2019 Issue date: 06-07-2016

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

#### 11. Toxicological information

#### Information on likely routes of exposure

Low vapor pressure makes inhalation unlikely at standard temperatures and pressures. Aerosols Inhalation

can be created by mechanical agitation or in elevated temperatures above 100°C

Skin contact May be irritating to the skin.

Direct contact with eyes may cause temporary irritation. Eye contact Ingestion Do not ingest. Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Occupational exposure to the substance or mixture may cause adverse effects.

# Information on toxicological effects

#### **Acute toxicity**

Components **Test Results** Species

Alkanes, C14, chloro (CAS 198840-65-2)

Acute **Dermal** Liquid

**DNEL** Human 0.0065 mg/kg, 8 hours

**Chronic** Oral

Liquid

LD50 Rodent 15000 mg/kg

NOAFI Rat 100 mg/kg, 90 days by body weight -

target organ liver; Reproductive

1-generation study

Skin corrosion/irritation Serious eye damage/eye Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

# US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity 400 mg/kg/day, diet produced internal hemorrhaging due to the inhibition of vitamin K uptake in rat

dams and rat pups. The mode of action for the effect is likely due to a pre-existing vitamin K deficiency in the rodents. This result was not observed in the uterine lining of the rat dams where there was sufficient supply of vitamin K. In addition, the mode of action for the observed effects in rats is not equivalent to human exposure. IRDC (International Research and Development Corporation). 1985. Chlorinated Paraffin: Reproduction Range-Finding Study in Rats. IRDC Report

No. 438/049. Mattawan, Michigan, USA.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure **Aspiration hazard** 

Not classified.

Not an aspiration hazard.

# 12. Ecological information

Very toxic to aquatic life with long lasting effects. **Ecotoxicity** 

Components **Test Results** Species

Alkanes, C14, chloro (CAS 198840-65-2)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 0.1 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

**General Information** IMDG Regulated Marine Pollutant.

DOT

Not regulated as dangerous goods.

**TDG** 

Not regulated as dangerous goods.

**IMDG** 

UN3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkanes, C14, chloro) **UN proper shipping name** 

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш

**Environmental hazards** 

Marine pollutant Yes F-A, S-F **EmS** 

IATA

Not regulated as dangerous goods.

Not established. Transport in bulk tankers according to Annex II of

MARPOL 73/78 and the IBC Code

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### 15. Regulatory information

#### **US federal regulations**

The CAS numbers 198840-65-2, 63449-39-8 and 85535-85-9 have been used by the Dover Chemical Corporation EHS Department to determine international inventory compliance. For more information, please see the destination country specific safety data sheet.

TSCA Section 5(e) Consent Order Alkanes C14, Chloro (CAS RN 198840-65-2) is subject to Consent Order for premanufacture notice numbers P-12-0277 through P-12-0284 that restricts its processing and use only as a flame retardant and plasticizer in PVC and polymers; a flame retardant, plasticizer, and lubricant in adhesives, caulk, sealants, and coatings; an additive in lubricants including metalworking fluids; a flame retardant and plasticizer in rubber; and a flame retardant and waterproofer in textiles.

TSCA Section 5(a) Significant New Use Rule Alkanes C14, Chloro (CAS RN 198840-65-2) is subject to 40 C.F.R. § 721.11073 that restricts its processing and use only as a flame retardant and plasticizer in PVC and polymers; a flame retardant, plasticizer, and lubricant in adhesives, caulk, sealants, and coatings; an additive in lubricants including metalworking fluids; a flame retardant and plasticizer in rubber; and a flame retardant and waterproofer in textiles.

# **Toxic Substances Control**

All components of the mixture on the TSCA 8(b) inventory are designated "active".

# Act (TSCA)

#### US TSCA Section 5(a)(2) Proposed Significant New Use Rules (SNURs): Listed substance

Alkanes, C14, chloro (CAS 198840-65-2) 40CFR 721.11073 US TSCA Section 5(e) PMN-Substance Consent Orders: Listed substance

Alkanes, C14, chloro (CAS 198840-65-2) P12283

P14683

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Alkanes, C14, chloro (CAS 198840-65-2) 1.0 % containing products or more are subject to export

notifications. Export notification requirements are per export per

country as required under 40 C.F.R. §707.65(a)(2)(ii).

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Nο

chemical

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

## **US** state regulations

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region Inventory name On inventory (yes/no)\* Europe European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) No Europe Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Existing Chemicals List (ECL) Korea Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

# 16. Other information, including date of preparation or last revision

 Issue date
 06-07-2016

 Revision date
 12-03-2019

Version # 25

Disclaimer DOVER CHEMICAL CORPORATION cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Material name: Paroil 58 NR sps us

7091 Version #: 25 Revision date: 12-03-2019 Issue date: 06-07-2016

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).