



## Micro-Chek® 11 P

### Product Description

Micro-Chek® 11 P is an EPA registered, low toxicity industrial mildewicide formulated for the protection of PVC, polyurethane and other polymer compositions susceptible to attack by microorganisms. Micro-Chek® 11 P contains 4% of the active ingredient 2-n-octyl-4-isothiazolin-3-one in a PVC resin carrier, and contains no heavy metals.

Micro-Chek® 11 P is particularly recommended for use in products such as tenting, tarpaulins, coated fabrics, architectural signage, floor tiles and other coverings that may be exposed to stressful environments.

Micro-Chek® 11 P should be added to the product with the resin used in the formulation to which it is incorporated. Direct addition to stabilizers, fillers and pigments should be avoided. Micro-Chek® may also be blended with finished plastisol by mixing well. Optimum use levels depend on the product formulation and the intended end-use environment to which it will be exposed. Typical use levels range from 1.0-4.0%.

### Safety and Handling

As with chemicals in general, Micro-Chek® 11 P should be handled with care. Use only as directed on the label. Complete toxicity and handling information can be found on the Safety Data Sheet, which is available on request.

### Typical Properties

Active ingredient	4%
Density (25°C)	32.9 lb/ft <sup>3</sup>
Odor	Bland
Appearance	Off-white, free flowing powder
Carrier	PVC resin

VALTRIS SPECIALTY CHEMICALS  
7500 E. Pleasant Valley Rd.  
Independence, Ohio 44131  
Phone (216) 875-7200  
Fax (216) 875-7201  
7/24/2015

The information contained in this data sheet has been determined through the application of accepted engineering practice and is believed to be reliable. Since the conditions of application and use of our products are beyond our control, no warranty is expressed or implied regarding accuracy of this information, the results to be obtained from the use of the product, so that such use will not infringe on any patent. This information is furnished with the express condition that you will make your own tests to determine the suitability of the product for your particular use.