

(in compliance with 29 CFR 1910.1200)

Page 1 of 5

### SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

## PRODUCT IDENTIFIER: STAN-PIG R-950

Manufactured for and supplied by: Telephone no: (330) 798-9300

Harwick Standard Distribution Corporation Date prepared: April 30, 2012

60 South Seiberling Street

P.O. Box 9360

Akron, OH 44305-0360

Preparer: Health, Safety & Environment

Product use: Pigment

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS								
Components Chemical Identity	CAS Number	LD50 mg/kg of Ingredient	LC50 mg/kg of Ingredient	<u>%</u>				
		<del>-</del>	-	<u>.</u>				
Titanium Dioxide	13463-67-7			<u>&gt;</u> 94				
Al <sub>2</sub> O <sub>3</sub> , SiO <sub>2</sub> Organic Treatment				<u>&lt;</u> 6				

#### SECTION 3 - HAZARD(S) IDENTIFICATION

Primary routes of exposure:

Inhalation oxing Skin contact oxing Eye contact oxing Skin absorption oxing Ingestion oxing

**Emergency Overview:** WARNING! May cause irritation to eyes, skin, and respiratory tract. Suspect cancer hazard.

**Potential Health Effects:** Eye contact may cause mild irritation, possible reddening. Skin contact may cause mild irritation, possible reddening. Repeated or prolonged skin contact may cause skin irritation or skin sensitization. Inhalation may cause mild irritation to the respiratory tract. Prolonged exposure to dust may cause respiratory irritation. Repeated exposure may cause respiratory sensitization (asthma).

### **SECTION 4 – FIRST AID MEASURES**

**Inhalation:** Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, seek immediate medical attention.

**Ingestion:** If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.



(in compliance with 29 CFR 1910.1200)

Page 2 of 5

**Skin contact:** Remove contaminated clothing. Wash skin with soap and running water. Launder clothing before reuse. Seek medical attention if irritation persists.

**Eye contact:** In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes and seek medical attention if irritation persists.

**Notes to Physician**: Provide symptomatic/supportive care as necessary. Treatment based on sound judgment of physician and individual reactions of patient. Observe for signs of respiratory distress.

### SECTION 5 – FIRE FIGHTING MEASURES

Flash point (method): Not available

**Extinguishing media:** Water spray, carbon dioxide or dry chemical.

**Special fire fighting procedures:** Fight fire from a safe distance and from a protected location. Flammable dust when finely divided and highly suspended state. Use water spray to cool fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow runoff to enter waterways.

**Unusual fire and explosion hazards:** Toxic emissions may result if product is involved in a fire. Avoid ignition sources such as sparks and flames.

**Hazardous combustion products:** Carbon monoxide, carbon dioxide and oxides of sulfur.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Leak & Spill Procedure:** Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Wear protective equipment specified. Isolate spill and stop leak if possible with being safe. Remove ignition sources and work with non-sparking tools. Scoop up and remove. Do NOT spread spilled product with water. Avoid generation of dust. Avoid ingestion and inhalation of dust. Scoop and place into container for disposal. Keep container closed.

### **SECTION 7 - HANDLING AND STORAGE**

**Handling:** Good hygienic practices should be observed. Work clothes should be washed separately at the end of each workday. Disposable clothing should be discarded with material. Prevent dust accumulation. Avoid generating or breathing dust. Avoid ignition sources such as sparks and flames. Avoid contact with eyes, skin and clothing. Close containers of unused product. Wash hands before eating, drinking and chewing gum, using tobacco or using the toilet. Do not reuse this container.



(in compliance with 29 CFR 1910.1200)

Page 3 of 5

**Storage:** Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing agents. Avoid high temperatures. Avoid exposure to direct sunlight.

### **SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Exposure Limits:**

Airborne Exposure Limits:

Titanium Dioxide: OSHA Permissible Exposure Limit (PEL)-15 mg/m3 (TWA)

ACGIH Threshold Limit Value (TLC)-10 mg/m3 (TWA)

**Respiratory protection (specify type):** A NIOSH/MSHA approved respirator above PEL or TLV, and/or an organic vapor respirator for vapors or mists.

**Ventilation:** Local exhaust: Recommended to minimize exposure.

**Mechanical (general):** Recommended to minimize exposure.

Protective gloves: Impervious

**Eye protection:** Safety glasses or chemical goggles

**Skin protection:** Normal work coveralls. Launder contaminated clothing before reuse.

Other protective clothing or equipment: Apron, boots.

**Work/hygienic practices:** Maintain eyewash station.

### SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

Boiling point:	2750°C	Specific gravity:	4.26
Freezing point:	Not determined	pH:	Not determined
Melting point:	1855°C	Molecular weight:	79.9 g/mole
Vapor pressure (mm Hg):	Not determined	Odor threshold (ppm):	Not determined
Vapor density (AIR=1):	Not determined	Coefficient of water/oil distribution:	Not determined
Solubility in water:	Insoluble	Evaporation rate:	Not determined
Appearance (physical state):	Solid white powder	Odor:	Odorless

### **SECTION 10 - STABILITY & REACTIVITY**



(in compliance with 29 CFR 1910.1200)

Page 4 of 5

ANDAL						•	ruge ror	,
Stability	Stable: Unstable:	<b>☑</b>						
Conditions to a sources. Dusting	avoid (conditions	of reactivity):	Keep away	from heat, sp	arks and	flame. Avoid i	ignition	
reaction with lith	y (materials to availum occurs around other metals such a	200°C (392°F) \	vith a flash	of light. Viole	nt or inca	indescent read		
Hazardous dec	composition or by	products:	Carbon mo	noxide, carbor	n dioxide	and oxides of	sulfur.	
Hazardous pol	ymerization	May occur: Will not occur	-: ☑					
Conditions to a	avoid:	Keep away fro	m heat, spa	arks and flame	<del>)</del> .			
SECTION 11 -	TOXICOLOGICAL	INFORMATION	J					
•	tact may cause mild ng. Inhalation may	•		•		use mild irrita	ation,	
•	ct cancer hazard. Pr ause respiratory ser	0 1		nay cause resp	oiratory ir	ritation. Repe	eated	
Carcinogenicit Titanium Dioxide	<b>y</b> e, CAS# 13463-67-7	/ IARC Classifica	ntion: Grou	p 2B-Possibly (	carcinoge	nic to humans	S	
NTP [	IARC	☑ Grou	p 2B	OSHA		ACGIH		
SECTION 12 - ECOLOGICAL INFORMATION								
^	tur Not oveileble							

**Aquatic Toxicity:** Not available

**Products of Biodegradation:** Possible hazardous short-term degradation products are not likely.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not

toxic.

#### SECTION 13 - DISPOSAL CONSIDERATIONS



(in compliance with 29 CFR 1910.1200)

Page 5 of 5

**Waste disposal method:** In accordance with federal, state, and local regulations.

### **SECTION 14 - TRANSPORTATION INFORMATION**

**Special shipping information:** Not DOT regulated

### **SECTION 15 - REGULATORY INFORMATION**

#### **TSCA Inventory Status:**

Chemical components are listed on the TSCA inventory.

#### **SARA 313**

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372: None known

#### SARA Sections 311 & 312 Hazard Categories

Acute: Yes Chronic: Yes Fire: No Pressure: No Reactivity: No

#### RCRA status

The following chemical components are listed under (40 CFR 261): None known. Not a hazardous waste.

HMIS Classification: HEALTH 1 FLAMMABILITY 1 REACTIVITY 0

### **SECTION 16 - OTHER INFORMATION**