



Printing date 20.01.2009 Revision: 20.01.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: NEOFLON PCTFE M-300H,300P,300PL,400H

· Article number: 300

· Application of the substance / the preparation Synthetic resin

· Manufacturer/Supplier:

DAIKIN INDUSTRIES, LTD.CHEMICAL DIVISION:

Umeda Center Bldg., 4-12, Nakazaki-Nishi2-chome, Kita-Ku, Osaka, JAPAN

Phone: (+81) 6-6373-4349 Fax: (+81) 6-6373-4389

· Further information obtainable from: http://www.daikin.com/

Information in case of emergency: +81-6-6349-7521, +1-256-306-5000, +86-512-5232-0973, +49-211-179 225-0

2 Hazards identification

· GHS label elements Void

3 Composition/information on ingredients

- · Chemical characterization:
- · CAS No. Description

9002-83-9 Chlorotrifluoroethene homopolymer

4 First-aid measures

- · General information: Seek immediate medical advice.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After contact with the molten product, cool rapidly with cold water.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: none
- · Special hazards caused by the substance, its products of combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

· Protective equipment: Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Wear protective clothing.
- · Measures for environmental protection: Do not allow product to reach sewage system or any water course.
- · Measures for cleaning/collecting: Pick up mechanically.
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Extractors are required on all machines used for thermal processing or splinter removal processes.

Safety Data Sheet

Printing date 20.01.2009 Revision: 20.01.2009

Trade name: NEOFLON PCTFE M-300H,300P,300PL,400H

(Contd. of page 1)

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from contamination.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Keep away from tobacco products.

· Respiratory protection:

For conditions where exist a potential for significant exposure to fumes and/or toxic vapours use a full-face-mask with the acid and organic vapor cartridges.

- · Protection of hands: Synthetic rubber gloves
- · Eye protection: Safety glasses
- · **Body protection:** Protective work clothing

9 Physical and chemical properties

· General Information

Form: Solid
Colour: White
Odour: Odourless

· Change in condition

Melting point/Melting range: 211-216°C
Boiling point/Boiling range: Undetermined.

Flash point: Not applicable.

· Flammability (solid, gaseous): Product is not flammable.

Decomposition temperature: 349°C (0.1TG)

· Danger of explosion: Product does not present an explosion hazard.

• **Density at 20°C:** $2,11-2,16 \text{ g/cm}^3$

· Solubility in / Miscibility with

water: Insoluble.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

Even at the temperatures reached during the normal hot processing of fluoropolymers fume will be generated, that will present a potential health hazard.

- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products:

Danger of toxic fluorine based pyrolysis products.

Fluorophosgene on contact with naked flame or red hot objects.

(Contd. on page 3)

Safety Data Sheet

Printing date 20.01.2009 Revision: 20.01.2009

Trade name: NEOFLON PCTFE M-300H,300P,300PL,400H

(Contd. of page 2)

Chlorophosgene

11 Toxicological information

· Acute toxicity: no data

12 Ecological information

- · Information about elimination (persistence and degradability):
- · Other information: The product is insoluble in water and the biodegradation and ecotoxicity is expected to be low.

13 Disposal considerations

- · Product:
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN "Model Regulation": -

15 Regulatory information

- · Safety phrases:
- 15 Keep away from heat.
- 21 When using do not smoke.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Toxicology and Product Regulatory
- · Contact: http://www.daikin.com/
- · Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)