

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

SECTION 1.- IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

| Data Revised: January 2015 | Previous: August, 2013 |
|--|--|
| Identification of the Substance or Prepa | aration |
| Product Name: | Emulprene 1009L |
| Use of the Preparation: | Is a lower gel version of the E1009H, it is also widely used in sealants and adhesives giving good balance between adhesive and cohesive properties. |
| Supplier / Manufacturer: | Contact name: José Julio Quevedo Pérez Industrias Negromex S.A. de C.V. Carretera Tampico - Mante Km. 13.5 Col. Laguna de la Puerta Código Postale 89600 Altamira, Tamps. México |
| Emergency Telephone Number: | Telephone: +52 (833) 2290386 Fax: +52 (833) 2290565 E-mail: <u>jquevedo@negromex.com</u> +52 (833) 3591499 (24 hours) |
| Only representative: | Contact name: Jeremy J Ramsden ITS Testing Services (UK) Caleb Brett House, 734 London Road West Thurrock, Grays, Essex. RM203NL United Kingdom Tel. +44 (0) 161 245 8071 Fax. +44 (0) 161 933 4001 E-mail: jeremy.ramsden@intertek.com |

E1009L



SECTION 2.- HAZARDS IDENTIFICATION

| Emergency Overview: | Some fumes may be released upon heating or cross-linking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. |
|---|---|
| Health Effects and symptoms: Inhalation: | No risks known at temperatures between -20 and +40°C (-4 to +104°F). At high temperatures, fumes can be formed and may cause irritation of eyes and respiratory tracts. |
| Skin contact: | No risks known at temperatures between -20 and +40°C (-4 to +104°F). The exposure to molten material may cause severe burns. |
| Eye contact: | Dusts (especially when handling powders) may cause irritation. |
| Ingestion: | Low toxicity. |
| Sensitization: | No cases of sensitization in humans have been reported. |
| Chronic: | Not hazardous. |
| Environmental effects: | No significant environmental hazards are associated with this rubber release to the environment. |

See section 11 for more detailed information on health effects and symptoms.



SECTION 3.- COMPOSITION / INFORMATION ON INGREDIENTS

| Product definition (REACH): | tion (REACH): Preparation | | | |
|--|---------------------------|-----------------------|---------------|-------------|
| Ingredients Name | | CAS Number | EINECS Number | % by Weight |
| Crosslinked styrene-butadiene rubber | | 26471-45-4 | - | >93 |
| Fatty acid | | 67701-06-8 | 266-930-6 | 4.7 |
| Additives | | - | - | 2.3 |
| REACH Registration | | | | |
| Monomer | | Registration Number | | |
| Butadiene | | 01-2119471988-16-0132 | | |
| Styrene | 01-2119457861-32-0089 | | | |
| This product contains no hazardous ingredients as defined under the criteria of the Federal OSHA Hazards Communication Standard 29 CFR 1910, 1200. | | | | |

SECTION 4.- FIRST AID MEASURES

| <u>First aid measures</u> Inhalation: | In case of asphyxia or a feeling of illness, after accidental exposure to fumes, which can be formed at high temperatures, remove the affected person into fresh air. Keep the victim at rest and in warm. If victim experiences breathing difficulties or loss of consciousness, give artificial respiration. Seek medical advice immediately. |
|--|---|
| Skin contact: | In case of burns caused by molten material, treat the affected part with running cold water (by spraying or immersion, for instance). No attempt should be made to detach polymer adhering to the skin or remove clothing stained with molten material. Cover the burnt areas with a cotton compress or sterilized gauze compresses. Seek medical advice immediately. |



E1009L

Eye contact:

Ingestion:

In case of irritation, wash with copious volumes of water until irritation disappears. Seek medical advice, if necessary.

Seek medical advice.

SECTION 5.- FIRE – FIGHTING MEASURES

| <u>Extinguishing media</u> Suitable: | For minor fires, carbon dioxide or dry chemical powder. For large fires, foam & AFFF or water sprays (fog). |
|--|---|
| Not Suitable: | Do not use water jets (stick jets) in the early stages of extinguishing fire since they could help to spread the flames. |
| Special exposure hazards: | No specific fire or explosion hazard. Promptly insolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Hazardous combustion products: | On combustion or when overheated forms Carbon dioxide, carbon monoxide and cracking products, hydrocarbons. |
| Special Protective equipment for fire – fighters: | Normal work clothing (cotton, cotton 65% - polyester 35%). If contact with hot materials is possible, wear heat-insulating and chemicals proof gloves as well as face shield. |



SECTION 6.- ACCIDENTAL RELEASE MEASURES

Personal precautions: No special measures required. **Environmental precautions:** No special measures required. Methods for cleaning Recover the spilled material and place it in In soil: marked containers to facilitate its reuse or disposal. Dispose in a safe manner in accordance with local or national regulations. Prevent the spilled material for spreading. If On water: the material has flowed out in a stream or a sewer, inform the authorities of the possible presence of floating matter. Clean up the water surface by creaming. Refer to a specialist for water disposal in a safe manner in accordance with local or national regulations. Note: Handle as solid waste disposal, storage it in an approved land disposal site in accordance with applicable local, state or federal regulations.

SECTION 7.- HANDLING AND STORAGE

Handling precautions:

Shipping information:

Use adequate ventilation, wash hands thoroughly after handling.

Technical shipping name: SBR Rubber Freight class package: Rubber, Crude Product label: Emulprene E1009L United Nations number: None Hazard label (s): None Hazard placard (s): None IMO / IMDG code (ocean): Non-Regulated ICAD / IATA (Air): Non-Regulated



E1009L

Storage:

Material should be stored in a cool, below 35°C, clean and dry environment in original packaging plastic or paper bags. Do not store near flammable materials. Store away from heat sources. Avoid static electricity buildup. All storage equipment should be provided with connections to earth. Store in a dry, well-ventilated area. Avoid dust buildup. Store out of sunlight or other sources of heat radiation.

Shelf life: 12 months

Packaging materials Recommended:

Use original container

SECTION 8.- EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure limit values:

| United States | ACGIH-TLV 5mh/m3 (Recommended for polymer dust) | |
|---------------------------------------|---|--|
| European Community | Not Determined. | |
| France | Not Determined. | |
| United Kingdom | Not Determined. | |
| Denmark | Not Determined. | |
| Belgium | Not Determined. | |
| Recommended monitoring procedures: | | |
| | Organic Vapour | |
| | | |
| Risk management measures | | |
| Occupational exposure controls | Maintain good ventilation over production | |

Technical measures:

Maintain good ventilation over production process.



| Personal protection measures | |
|---|---|
| Respiratory protection: | Not required under normal operating conditions. In case of risk of overexposure to fumes, or when normal precautions are insufficient, wear suitable respiratory equipment such as combination of filter type A2 B2-P2 following DIN 3181. |
| Hand protection: | Use of natural rubber gloves or neoprene. |
| Eye protection: | Avoid dust contact with eyes. Use safety glasses / googles / spectacles. |
| Skin protection: | Use clothes of normal work clothing (cotton, cotton 65% - 35% polyester). Avoid dust buildup on skin, , which could cause abrasive irritation. If contact with hot materials is possible, wear heat insulating and chemicals proof gloves as well as face shield. |
| Hygiene measures: | Safety slip proof shoes in areas where spills or leaks can occur. |
| <u>Environmental exposure controls</u> Technical measures: | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to |

acceptable levels.



SECTION 9.- PHYSICAL AND CHEMICAL PROPERTIES

General information

| <u>Appearance</u> | |
|---|---------------------|
| Physical state: | Solid |
| Color: | White |
| Odor: | Slightly aromatic |
| Important health, safety and environmental information | |
| Vapour pressure: | None |
| pH: | Not applicable |
| Boling point / Boiling range: | Not determined |
| Evaporation rate: | Not applicable |
| Melting point / Melting rate: | >120°C (>248°F) |
| Viscosity: | Not determined |
| Water solubility: | Insoluble |
| Partition coefficient: | Not determined |
| Molecular Weight: | Not determined |
| Specific gravity: | 0.93-0.98 |
| Percent volatile: | 1.0 (moisture) max. |
| Relative density: | Not determined. |
| Upper explosive limit: | Not determined. |



SECTION 10.- STABILITY AND REACTIVITY

| Stability: | Stable at room temperatures and pressures. |
|-----------------------------------|--|
| Conditions to avoid: | Protect from freezing. |
| Materials to avoid: | Avoid strong oxidizers, strong alkalis. |
| Reactivity: | Stable. |
| Hazardous decomposition products: | Under severe thermal degradation can be decomposed into water, CO, CO2 and acetic acid. Vinyl acetate monomer can be formed. |

Hazardous polymerization:

Will not occur.

SECTION 11.- TOXICOLOGICAL INFORMATION

None toxicity on animals is registered, so the Butadiene – Styrene copolymer is regarded as biologically inert.

SECTION 12.- ECOLOGICAL INFORMATION

Aquatic toxicity: Mobility: Persistence and degradability: Bio-accumulative potential:

Behavior in water treatment plants:

Not determined. Not determined. Not determined. Chemicals are not readily available as they are bound within the matrix of the polymer. Suspended solids (flotation).



E1009L

SECTION 13.- DISPOSAL CONSIDERATIONS

| Methods of disposal of the preparation: | Do not dispose of by means of sinks, drains or sewers or in the immediate environment. For disposal within the EC, the appropriate code according to the European Waste List (EWL) should be used. It is among the tasks of the polluter to assign the waste-to-waste codes specific to industrial sectors and processes according to the European Waste List (EWL) |
|--|---|
| Methods of disposal of the contaminated packaging: | Where possible recycling is preferred to disposal. Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive |

SECTION 14.- TRANSPORT INFORMATION

91/689/EEC.

This material is not considered a transportation hazard under applicable ground, air or water regulations.

| UN number: | None. |
|------------------------------|-----------------|
| Class: | Not classified. |
| Proper shipping name: | Not classified. |
| Packing group: | Not classified. |
| Marine group: | Not classified. |
| International transportation | |
| identification: | Not classified. |
| U.S. Rail Regulations: | Not classified. |



SECTION 15.- REGULATORY INFORMATION


| Australia Canada | AICS (Australian Inventory of Chemical Substances): Listed. DSL (Domestic Substances List): Listed. NDSL (Non-Domestic Substances List). |
|--------------------------------------|--|
| China | IECS (Inventory on Existing Chemical Substances): Listed. MEP (Ministry of Environmental Protection). |
| EU | EINECS (European Inventory of Existing Chemical Substances): No Listed. |
| Japan | ENCS (Existing and New Chemical Substances): Listed. MITI (Ministry of International Trade and Industry). |
| Korea | KECI (Korean Existing Chemicals Inventory): Listed. ECTL (Environmental Control Technology Laboratory). |
| Philippines | PICCS (Philippine Inventory of Chemicals and Chemical Substances): Listed. |
| US | OSHA (Occupational Safety and Health Administration): Listed. TSCA (Toxic Substances Control Act): Listed. CERCLA reportable qty none SARA TITLE III: |
| | Section 302 None (Extremely hazardous substances) |
| | Section 311/312 None (Hazard categories) Section 313 None (Toxic chemicals) |
| México Switzerland New Zealand | STPS (Secretaria de Trabajo y Previsión Social): No Listed. Swiss Chemical Inventory ERMA (European Resin Manufacturers Association). NZIOC (New Zealand Inventory of Chemicals). |

RoHS & Food Contact Regulations:

Do not contain intentionally introduced Lead (Pb), Cadmium (Cd), Mercury (HG) or Hexavalent Chromium (Cr+6+) an unintentional inclusion is <0.1% lead, mercury, or chromium and <0.01% cadmium by weight. This Rubber is in compliance with the restriction of Hazardous Substances in Electrical and Electronic Equipment (RoHS regulations) Directive 2002/95/EC and 2003/11/EC.



SECTION 16.- OTHER INFORMATION



DISCLAIMER

While the information herein is believed to be reliable, no guarantee is made as to its accuracy or completeness and is not intended as a recommendation to use our product so as to infringe on any patent. The conditions of use, handling, storage and disposal, and the suitability of the product for particular uses are beyond our control. Consequently, all risks involving the use of the product are assumed by the user. All products purchased from or supplied by Industrias Negromex, S.A. de C.V: and its affiliated companies are subject to specifications, terms and conditions set out in the sale contract, order acknowledgement and/or bill of landing. We expressly disclaim all warranties of every kind and nature, expressed or implied, including the warranties of merchant ability and fitness for a particular purpose.