

# Therm-Chek® 6325

## Stabilizer Product Profile

### **Product Description**

Therm-Chek® 6325 is a barium, zinc, epoxidized soybean oil blend heat stabilizer for use in extrusion and injection molding applications. Therm-Chek® 6325 provides good initial color hold and long term stability in high shear extrusion and injection molding applications. Therm-Chek® 6325 can be used in clear or filled formulations, and provides outstanding clarity, even in thick extruded profiles. Therm-Chek® 6325 is formulated specifically to provide good color hold in blue tinted formulations.

#### Safety and Handling

Complete toxicity and handling information can be found on the Material Safety Data Sheet, which is available on request.

### **Typical Properties**

Appearance	Clear Liquid
Viscosity (Gardner)	1
Color (Gardner)	2
Density (lbs./gal.)	8.47

VALTRIS SPECIALTY CHEMICALS 7500 E. Pleasant Valley Rd. Independence, Ohio 44131 Phone (216) 875-7200 Fax (216) 875-7201 9/25/2001; r 2/15/2016

The information contained in this data sheet has been determined through the application of accepted engineering practice and is believed to be reliable Since the conditions of application and use of our products are beyond our control, no warranty is expressed or implied regarding accuracy of this information, the results to be obtained from the use of the product, so that such use will not infringe on any patent This information is furnished with the express condition that you will make your own tests to



harwickstandard.com